
Catalog # DNP-M487




Source	Purity
Mouse IgG2a Kappa Isotype Control (mAb) is a Mouse monoclonal antibody	>95% as determined by SDS-PAGE.
recombinantly expressed from HEK293 cells.	>90% as determined by SEC-MALS.
Species	Purification
Mouse	Protein A purified/ Protein G purified
Isotype	Formulation
Mouse IgG2a Mouse kappa	Lyophilized from 0.22 µm filtered solution in PBS, pH7.4 with trehalose as
Conjugate	protectant.
Unconjugated	Contact us for customized product form or formulation.
Antibody Type	Reconstitution
Recombinant Monoclonal	Please see Certificate of Analysis for specific instructions.
Reactivity	For best performance, we strongly recommend you to follow the reconstitution protocol provided in the CoA.
Mouse	Storage
Specificity	For long term storage, the product should be stored at lyophilized state at -20°C
This product is a specific antibody against DNP.	or lower.
Application	Please avoid repeated freeze-thaw cycles.
Application Recommended Usage	This product is stable after storage at:
	 -20°C to -70°C for 12 months in lyophilized state; -70°C for 3 months under sterile conditions after reconstitution.
ELISA 0.1-13 ng/mL	

SDS-PAGE



SEC-MALS



Mouse IgG2a Kappa Isotype Control (mAb) on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 95% (With <u>Star Ribbon Pre-stained Protein Marker</u>).

Bioactivity-ELISA



>>> www.acrobiosystems.com


The purity of Mouse IgG2a Kappa Isotype Control (mAb) (Cat. No. DNP-M487) is more than 90% and the molecular weight of this protein is around 135-160 kDa verified by SEC-MALS.

<u>Report</u>





Catalog # DNP-M487



Immobilized DNP-Albumin Conjugate, Bovine at 10 μ g/mL (100 μ L/well) can bind Mouse IgG2a Kappa Isotype Control (mAb) (Cat. No. DNP-M487) with a linear range of 0.1-2 ng/mL (QC tested).

Background

A hapten is a small molecule that can elicit an immune response only when conjugated with a large carrier such as a protein. Typical haptens include drugs, urushiol, quinone, steroids, etc. Peptides and non-protein antigens usually need conjugating to a carrier protein (such as BSA (bovine serum albumin) or KLH (keyhole limpet hemocyanin) to become good immunogens). Additionally, haptens should be administered with an adjuvant to ensure a high quality immune response. It is important that the hapten design (preserving greatly the chemical structure and spatial conformation of target compound), selection of the appropriate carrier protein and the conjugation method are key conditions for the desired specificity anti-hapten antibodies. We design anti-hapten antibodies based on the HaptenDB information.

Clinical and Translational Updates



>>> www.acrobiosystems.com

