## FITC-Labeled Monoclonal Anti-FMC63 Antibody, Mouse IgG1 (Y45) (HEK293)





#### **Source**

Monoclonal Anti-FMC63 Antibody, Mouse IgG1 (Y45) is expressed from human HEK293 cells, which provides higher batch consistency and long term security of supply.

We carry another premium grade FITC-Labeled Monoclonal Anti-FMC63 Antibody, Mouse IgG1 (Y45) (FM3-FY45G0), produced with the same production process but under more rigorous quality control system that incorporates a comprehensive set of tests including sterility and endotoxin tests. It is designed for cell isolation and cell culture applications in the early preclinical stage.

# **Application**

Flow Cytometry (Evaluation of Anti-CD19 (FMC63 scFv) CAR Expression).

Clone

Y45

**Species** 

Mouse

Isotype

Mouse IgG1/kappa

#### **Specificity**

Specifically recognizes the antigen-recognition domain of FMC63 derived CARs.

### Immunogen

Recombinant FMC63 scFv derived from HEK293 cells.

### Conjugate

FITC

Excitation source: 488 nm spectral line, argon-ion laser

Excitation Wavelength: 488 nm Emission Wavelength: 535 nm

# **Isotype Control**

The Isotype control is sold separately and you can search for Cat. No. <u>DNP-FM1A1</u> for product information.

#### **Recommended Dilution**

1:50

#### **Formulation**

Lyophilized from  $0.22~\mu m$  filtered solution in PBS, 0.5% BSA, pH7.4 with trehalose as protectant.

Contact us for customized product form or formulation.

### Reconstitution

Please see Certificate of Analysis for specific instructions.

For best performance, we strongly recommend you to follow the reconstitution protocol provided in the CoA.

### Storage

For long term storage, the product should be stored at lyophilized state at -20°C or lower.

Please protect from light and avoid repeated freeze-thaw cycles.

This product is stable after storage at:

- -20°C to -70°C for 24 months in lyophilized state;
- -70°C for 12 months under sterile conditions after reconstitution.


**Bioactivity-FACS** 



# FITC-Labeled Monoclonal Anti-FMC63 Antibody, Mouse IgG1 (Y45) (HEK293)







2e5 of anti-CD19 CAR-293 cells were stained with 100  $\mu$ L of 1:50 dilution (2  $\mu$ L stock solution in 100  $\mu$ L FACS buffer) of FITC-Labeled Monoclonal Anti-FMC63 Antibody, Mouse IgG1 (Cat. No. FM3-FY45P1) and Isotype control antibody respectively. FITC signal was used to evaluate the binding activity (QC tested).

# Background

FMC63 is an IgG2a mouse monoclonal antibody specific for CD19, which is a target for the immunotherapy of B lineage leukaemias and lymphomas. FMC63 scFv is the most commonly used ectodomain component of CD19-specific CARs. So far, most of reported CART19 trials contain the anti-CD19 scFv derived from FMC63, including the two FDA-approved CARs Kymriah and Yescarta.

## **Clinical and Translational Updates**

